BIRKENSTOCK®
PROFESSIONAL

THE COLLECTION

BIRKENSTOCK, INVENTOR OF THE FOOTBED

TRENDS COME AND GO THE REALLY GOOD THINGS LAST FOREVER

Since 1774 we at BIRKENSTOCK, the inventor of the footbed, have been thinking about how we can make the lives of our customers more pleasant and enrich them - with good footwear for all life situations.

To this end, we manufacture our sandals in Germany under the best conditions for our brand in our own production facilities with a high proportion of manual work. Depending on the model, a sandal goes through up to 17 work steps. With the closed models, there are more than 100 expertly executed steps to reach the finished product. The closed shoes are manufactured in Portuguese manufactories according to the principles of centuries-old traditional craftsmanship.

But no matter whether it's manufacture or industrial production - all BIRKENSTOCK products meet the highest quality standards that can be found in the global shoe industry. We make no compromises either in terms of the materials used - cork, natural latex, copper, brass, wool felt and the best leather - or workmanship. The raw materials come from sustainable sources. As long as the natural conditions allow, we obtain them from Europe.



Safety Footwear 4


PU Clogs 12


Super-Grip Outsole 17


ESD Products 22

INDEX

The BIRKENSTOCK Footbed 03
Safety Footwear 04
Occupational Footwear 08
PU Clogs 12
Super-Grip Outsole 17
ESD Products 22
Softfootbed 27
Replacement Footbeds 30
Collection Overview 38



OUR FOOTBED

IS THE BASIS OF ALL BIRKENSTOCK PROFESSIONAL PRODUCTS

The core of our products is our unique, anatomically shaped footbed. BIRKENSTOCK invented the footbed and also established the meaning of the word „footbed“ as it is commonly known today. At the end of the 19th century, Konrad Birkenstock had a visionary idea: the production of a footbed insole from a flexible cork-latex mixture - an alternative to the rigid inlays that previously had mainly been made out of metal. The footbed is not only a unique, revolutionary product concept that has paved the way for a completely new market. It is also the guiding principle and reference point for everything we do. Today and in the future.

1 FOOTBED EDGE
Predects the toes against external influences

2 TOE GRIP
Supports the natural toe roll-off in motion

3 TRANSVERSE ARCH SUPPORT
Stabilizes the metatarsal bone and ensures that the foot has a naturally straight and solid stance

4 MEDIAL LONGITUDINAL ARCH SUPPORT
Underpins the inner longitudinal arch of the foot and acts against lowering of the inner foot edge

5 LATERAL LONGITUDINAL ARCH SUPPORT
Supports the outer longitudinal arch and improves the positioning of the midfoot and rear foot on the footbed

6 DEEP HEEL CUP
Embeds the heel and keeps it firmly in its natural position

BIRKENSTOCK®
PROFESSIONAL



SAFETY FOOTWEAR



QS400

1 011 227 · 35 – 48

S3

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS400

1 011 226 · 35 – 48

S3

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

1 011 230 · 35 – 48

S3

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

1 011 233 · 35 – 48

S3

COLOR	black
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS500 ESD

1 011 364 · 35 – 48

S3

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap

FURTHER ESD PRODUCTS SHOWN FROM PAGE 22



QS500 ESD

1 011 363 · 35 – 48

S3

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS500

1 011 232 · 35 – 48

S3

COLOR	brown
UPPER	oiled nubuck leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

1 011 237 · 35 – 48

S3

COLOR	brown
UPPER	oiled nubuck leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

1 011 235 · 35 – 48

S3

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS700

1 011 238 · 35 – 48

S3

COLOR	black
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



NEW ITEM

QS700

1 020 895 · 35 – 48

S3

COLOR	gray
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



NEW ITEM

QS700

1 020 848 · 35 – 48

S3

COLOR	camel
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap

AVAILABLE FROM MAY 2023



BIRKENSTOCK®
PROFESSIONAL

OCCUPATIONAL FOOTWEAR





QO400

1 011 241 · 35 – 48

02

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



QO400

1 011 240 · 35 – 48

02

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



QO500

1 011 245 · 35 – 48

02

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



NEW ITEM

QO500

1 021 021 · 35 – 48

02

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU, without metal



QO500 ESD

1 011 366 · 35 – 48

02

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU





QO500

1 011 244 · 35 – 48

02

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



QO500

1 011 247 · 35 – 48

02

COLOR	black
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



QO500 ESD

1 011 365 · 35 – 48

02

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU

WHAT IS ESD?

ESD stands for Electro Static Discharge.
These shoe models actively ensure a permanent gentle discharge of their wearer (warning note: The ESD range is up to 35 MOhm, so it is not insulating!). - a quality feature that is clearly visible from the outside on BIRKENSTOCK Professional shoes through the circular, yellow ESD emblem with the hand in the black triangle.

MORE ESD PRODUCTS CAN BE FOUND ON PAGE 22



QO700

1 011 252 · 35 – 48

02

COLOR	black
UPPER	microfibre
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



QO700

1 011 249 · 35 – 48

02

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



NEW ITEM

QO700

1 020 921 · 35 – 48

02

COLOR	gray
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



QO700

1 011 250 · 35 – 48

02

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



NEW ITEM

QO700

1 020 881 · 35 – 48

02

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU, without metal



NEW ITEM

QO700

1 020 901 · 35 – 48

02

COLOR	dark brown
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU, without metal

AVAILABLE FROM MAY 2023



QO700

1 020 847 · 35 – 48

02

COLOR	camel
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	02
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU, without metal

AVAILABLE FROM MAY 2023

BIRKENSTOCK®
PROFESSIONAL

PU CLOGS



Outsole resistant to oil
and grease (FO)

Anatomically designed,
replacement footbed
(can be ordered separately)

Integrated steel toe cap
(only in model A640)



A640

020 292 · 36 – 47

SB

COLOR	white
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / suede leather
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20345:2011
CLASS	SB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 686
FEATURES	E, steel toe cap



A640

020 252 · 36 – 47

SB

COLOR	blue
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / suede leather
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20345:2011
CLASS	SB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 686
FEATURES	E, steel toe cap



A640

020 272 · 35 – 47

SB

COLOR	black
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / suede leather
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20345:2011
CLASS	SB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 686
FEATURES	E, steel toe cap



A630

010 292 · 36 – 47

OB

COLOR	white
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / suede leather
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 686
FEATURES	E



A630

010 252 · 36 – 47

OB

COLOR	blue
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / suede leather
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 686
FEATURES	E



A630

010 272 · 36 – 47

OB

COLOR	black
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / suede leather
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 686
FEATURES	E





Profi Birki

074 071 · 35 – 48

OB

COLOR	blue
UPPER	polyurethane
LINING	polyurethane
FOOTBED	PU / textile
OUTSOLE	polyurethane, SRB

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	-
REPLACEMENT FOOTBED	1 026 345
FEATURES	E



Profi Birki

074 061 · 35 – 48

OB

COLOR	brown
UPPER	polyurethane
LINING	polyurethane
FOOTBED	PU / textile
OUTSOLE	polyurethane, SRB

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	-
REPLACEMENT FOOTBED	1 026 345
FEATURES	E



Profi Birki

074 011 · 35 – 48

OB

COLOR	black
UPPER	polyurethane
LINING	polyurethane
FOOTBED	PU / textile
OUTSOLE	polyurethane, SRB

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	-
REPLACEMENT FOOTBED	1 026 345
FEATURES	E



Super Birki

068 021 · 35 – 48

OB

COLOR	white
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Super Birki

068 061 · 35 – 48

OB

COLOR	brown
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Super Birki

068 081 · 35 – 48

OB

COLOR	apple green
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Super Birki

068 051 · 35 – 48

OB

COLOR	green
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Super Birki

068 071 · 35 – 48

OB

COLOR	blue
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Super Birki

068 011 · 35 – 48

OB

COLOR	black
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E





Super Birki

068 651 · 35 – 43

OB

COLOR	raspberry sorbet
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Super Birki

068 031 · 35 – 48

OB

COLOR	red
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Birki Air Antistatic

063 070 · 35 – 46

COLOR	blue
UPPER	polyurethane
LINING	polyurethane
FOOTBED	PU / textile
OUTSOLE	polyurethane

NORM	-
CLASS	-
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 001 242
FEATURES	-



Birki Air Antistatic

063 050 · 35 – 46

COLOR	green
UPPER	polyurethane
LINING	polyurethane
FOOTBED	PU / textile
OUTSOLE	polyurethane

NORM	-
CLASS	-
ANTISTATIC	yes
REPLACEMENT FOOTBED	1 001 242
FEATURES	-



Super Birki

068 501 · 35 – 43

OB

COLOR	ciel light blue
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Super Birki

068 041 · 35 – 48

OB

COLOR	yellow
UPPER	polyurethane
LINING	polyurethane
FOOTBED	cork / textile
OUTSOLE	polyurethane, SRC

NORM	EN ISO 20347:2012
CLASS	OB
ANTISTATIC	–
REPLACEMENT FOOTBED	1 201 127
FEATURES	E



Classic Birki Antistatic

067 070 · 35 – 46

COLOR	blue
UPPER	polyurethane
LINING	polyurethane
FOOTBED	polyurethane
OUTSOLE	polyurethane

NORM	-
CLASS	-
ANTISTATIC	yes
REPLACEMENT FOOTBED	-
FEATURES	-



Classic Birki Antistatic

067 050 · 35 – 46

COLOR	green
UPPER	polyurethane
LINING	polyurethane
FOOTBED	polyurethane
OUTSOLE	polyurethane

NORM	-
CLASS	-
ANTISTATIC	yes
REPLACEMENT FOOTBED	-
FEATURES	-

BIRKENSTOCK®
PROFESSIONAL



SUPER-GRIP OUTSOLE

SUPER-GRIP OUTSOLE





Arizona SL

1 018 220 · 35 – 48

1 018 221 · 35 – 48

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Arizona SL

1 018 222 · 35 – 48

1 018 223 · 35 – 48

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Arizona SL

230 124 · 35 – 48

230 126 · 35 – 48

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Arizona SL

230 114 · 35 – 48

230 116 · 35 – 48

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Kay SL

1 018 228 · 39 – 46

1 018 229 · 35 – 42

COLOR	white
UPPER	leather
LINING	leather
FOOTBED	cork / suede leather
OUTSOLE	EVA / rubber

NORM	-
CLASS	SRA
SLIP RESISTANCE	yes
REPLACEMENT FOOTBED	-
FEATURES	softfootbed, adjustable heel strap



Kay SL

1 018 226 · 39 – 46

1 018 227 · 35 – 42

COLOR	black
UPPER	leather
LINING	leather
FOOTBED	cork / suede leather
OUTSOLE	EVA / rubber

NORM	-
CLASS	SRA
SLIP RESISTANCE	yes
REPLACEMENT FOOTBED	-
FEATURES	softfootbed, adjustable heel strap

Kay SL

582 624 · 39 – 46

582 626 · 35 – 42

COLOR	white
UPPER	leather
LINING	leather
FOOTBED	cork / suede leather
OUTSOLE	EVA / rubber

NORM	-
CLASS	SRA
SLIP RESISTANCE	yes
REPLACEMENT FOOTBED	-
FEATURES	softfootbed, adjustable heel strap



Kay SL

582 634 · 39 – 46

582 636 · 35 – 42

COLOR	black
UPPER	leather
LINING	leather
FOOTBED	cork / suede leather
OUTSOLE	EVA / rubber

NORM	-
CLASS	SRA
SLIP RESISTANCE	yes
REPLACEMENT FOOTBED	-
FEATURES	softfootbed, adjustable heel strap



Kay SL

582 516 · 35 – 42

COLOR	Cat Red
UPPER	Birko Flor
LINING	fleece
FOOTBED	cork / suede leather
OUTSOLE	EVA / rubber

NORM	-
CLASS	SRA
SLIP RESISTANCE	yes
REPLACEMENT FOOTBED	-
FEATURES	adjustable heel strap



Kay SL

582 536 · 35 – 42

COLOR	Dog Blue
UPPER	Birko Flor
LINING	fleece
FOOTBED	cork / suede leather
OUTSOLE	EVA / rubber

NORM	-
CLASS	SRA
SLIP RESISTANCE	yes
REPLACEMENT FOOTBED	-
FEATURES	adjustable heel strap



Kay SL

1 016 660 · 35 – 43

COLOR	Flower Field Mint	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay SL

1 016 661 · 35 – 43

COLOR	Flower Field Rose	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay SL

1 016 664 · 35 – 43

COLOR	Paisley Black White	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay SL

1 016 662 · 35 – 43

COLOR	Blooming Roses Black	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap



Kay SL

1 016 663 · 35 – 43

COLOR	Blooming Roses Blue	NORM	-
UPPER	Birko Flor	CLASS	SRA
LINING	fleece	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	adjustable heel strap





Boston SL

060 134 · 35 – 48
060 136 · 35 – 48

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Boston SL

060 194 · 35 – 48
060 196 · 35 – 48

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Tokio SL

061 194 · 35 – 48
061 196 · 35 – 48

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Tokio SL

061 134 · 35 – 48 · 95,00 EUR
061 136 · 35 – 48 · 95,00 EUR

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Tokio SL

061 154 · 35 – 48 · 95,00 EUR
061 156 · 35 – 48 · 95,00 EUR

COLOR	blue	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Linz SL

583 174 · 36 – 46
583 176 · 36 – 42

COLOR	white	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-



Linz SL

583 184 · 36 – 46
583 186 · 36 – 42

COLOR	black	NORM	-
UPPER	leather	CLASS	SRA
LINING	leather	SLIP RESISTANCE	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-

BIRKENSTOCK®
PROFESSIONAL

ESD PRODUCTS



Heel strap to
secure the foot

Integrated antistatic feature to
prevent electrostatic discharges

ESD symbol

Elevated footbed edge





NEW ITEM

Arizona ESD

1 021 400 · 35 – 43

COLOR	flower field mint	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



NEW ITEM

Arizona ESD

1 021 411 · 35 – 43

COLOR	flower field rose	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Arizona ESD

089 410 · 35 – 48

089 418 · 35 – 48

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Arizona ESD

089 430 · 35 – 48

089 438 · 35 – 48

COLOR	blue	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Arizona ESD

089 420 · 35 – 48

089 428 · 35 – 48

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Milano ESD

634 790 · 35 – 48

634 798 · 35 – 48

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



NEW ITEM

Kay ESD

1 020 945 · 35-43

COLOR	flower field rose	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	adjustable heel strap



NEW ITEM

Kay ESD

1 020 876 · 35 – 43

COLOR	flower field mint	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	adjustable heel strap



Boston ESD

061 370 · 39 – 48

061 378 · 36 – 42

COLOR	white	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Boston ESD

061 380 · 39 – 48

061 388 · 36 – 42

COLOR	blue	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-





Boston ESD

061 360 · 39 – 48
061 368 · 36 – 42

COLOR	black	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Tokio ESD

061 410 · 39 – 48
061 418 · 36 – 42

COLOR	white	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-





Tokio ESD

061 390 · 39 – 48
061 398 · 36 – 42

COLOR	blue	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Tokio ESD

061 400 · 39 – 48
061 408 · 36 – 42

COLOR	black	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Linz ESD

583 150 · 39 – 46
583 158 · 36 – 42

COLOR	white	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA	FEATURES	-



Linz ESD

583 160 · 39 – 46
583 168 · 36 – 42

COLOR	black	NORM	-
UPPER	leather	CLASS	-
LINING	leather	ESD	yes
FOOTBED	cork / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	EVA / rubber	FEATURES	-

PROVEN AS A PARTNER IN ELECTRONICALLY SENSITIVE FIELDS OF WORK

For people who work in the microelectronic field or with high-frequency technology, in addition to absolute cleanliness at the workplace, it is above all the protection of the product and working material against electrostatic influences that counts. This applies in particular to semiconductor technology, the automotive industry, physical research laboratories and electromedicine. This is why experienced technicians and engineers rely on ESD sandals and clogs from BIRKENSTOCK Professional.

ESD stands for Electro Static Discharge. These shoe models actively ensure a permanent gentle discharge of their wearer (warning note: The ESD range is up to 35 megohm, so it does not have an insulating effect!). - a quality feature that is clearly visible from the outside on BIRKENSTOCK Professional shoes through the circular, yellow ESD emblem with the hand in the black triangle.

When looking at the insole, several round antistatic elements stand out. They are not noticeable when sandals and clogs are worn, but they compensate for potential electrical voltage differences between people and the working environment by permanently "grounding" the feet.





QS500 ESD

1 011 364 · 35 – 48

S3

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ESD	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QS500 ESD

1 011 363 · 35 – 48

S3

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20345:2011
CLASS	S3
ESD	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, P, WRU, steel toe cap



QO500 ESD

1 011 366 · 35 – 48

02

COLOR	white
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	O2
ESD	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU



QO500 ESD

1 011 365 · 35 – 48

02

COLOR	black
UPPER	leather
LINING	microfibre
FOOTBED	cork / microfibre
OUTSOLE	nitrile rubber SRC

NORM	EN ISO 20347:2012
CLASS	O2
ESD	yes
REPLACEMENT FOOTBED	1 013 177 / 8
FEATURES	A, FO, E, WRU

BIRKENSTOCK®
PROFESSIONAL

SOFT FOOTBED





Sofia

263 123 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Bilbao

520 781 · 39 – 46

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Bilbao

520 801 · 39 – 46

COLOR	brown	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Sofia

263 183 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor Patent	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Sofia

263 263 · 36 – 42

COLOR	Tango Red	NORM	-
UPPER	Birko Flor Patent	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Bilbao

520 811 · 39 – 46

COLOR	blue	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Bilbao

520 791 · 39 – 46

520 793 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Saragossa

500 873 · 36 – 42

COLOR	white	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Saragossa

500 863 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Kano

500 801 · 39 – 46

500 803 · 36 – 42

COLOR	brown	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



Kano

500 781 · 39 – 46

500 783 · 36 – 42

COLOR	black	NORM	-
UPPER	Birko Flor	CLASS	-
LINING	fleece	ANTISTATIC	-
FOOTBED	PU / suede leather	REPLACEMENT FOOTBED	-
OUTSOLE	polyurethane	FEATURES	softfootbed



BIRKENSTOCK®
PROFESSIONAL



REPLACEMENT FOOTBEDS



A630 / A640

1 201 686 · 36 – 47

LINING	suede leather	NORM	-
FOOTBED	cork	ANTISTATIC	-



Profi Birki

1 026 345 · 35 – 48

LINING	textile	NORM	-
FOOTBED	polyurethane	ANTISTATIC	-



Super Birki

1 201 127 · 35 – 48

LINING	textile	NORM	-
FOOTBED	cork	ANTISTATIC	-



Birki Air Antistatic

1 001 242 · 35 – 46

LINING	textile	NORM	-
FOOTBED	polyurethane	ANTISTATIC	yes



QS/QO

1 013 177 · 35 – 40 1 013 178 · 41 – 48

LINING	microfibre	NORM	-
FOOTBED	cork	ESD	yes



THE EUROPEAN ISO-NORMS

At the end of the 1990s, uniform standards for safety, predective and occupational footwear were established at European level, which is still valid today as standard in relevant areas. TÜV Rheinland tests our BIRKENSTOCK Professional models on the basis of the following standards:

- **EN ISO 20344** – requirements and test methods
- **EN ISO 20345** – safety footwear specification
- **EN ISO 20347** – specification occupational footwear

All shoes which, for example, have anti-slip, antistatic or comparable properties and which as a rule do not have a separate toe predection are referred to as professional shoes. Models with toe predection are classified in the categories predective shoes (with plastic toe cap, test energy up to 100 joules) and safety shoes (with steel toe cap, testing energy up to 200 joules). Our soles are tested by TÜV Rheinland and have to guarantee one of the following criteria:

- **SRA** – slip-resistance on ceramic tiles with cleaning agent
- **SRB** – slip-resistance on steel floor with glycerin
- **SRC** – resistance slip on ceramic tiles with detergent and on steel floors with glycerine



PROTECTION CLASS

S3

THE QS400, QS500, QS500 ESD AND QS700

Those who have special demands on their work equipment will no longer have to make any compromises in this respect in the future: BIRKENSTOCK presents its range of closed safety shoes.

All safety shoes meet the requirements of predection class S3
- Certified according to EN ISO 20345:2011
- Steel toe cap (200 joules)
- Scratch-resistant cap predection
- Penetration-resistant outsole (metal-free) **(P)**
- ESD or antistatic predection **(A)**
- Oil- and gasoline-resistant outsole **(FO)**
- Energy absorption in the heel area **(E)**
- Water-repellent outer material, at least 80 minutes without water penetration **(WRU)**
- Slip-resistant outsole **(SRC)**

With the replaceable BIRKENSTOCK footbed, the models provide secure support and relieve the strain on your feet, so that you can stand, walk and run comfortably for many hours a day, even in a challenging environment.



PROTECTION CLASS

02

THE QO400, QO500, QO500 ESD AND QO700

BIRKENSTOCK Professional footwear product line bridges the gap between a pleasant wearing comfort and increased predection requirements.

All professional shoes meet the requirements of predection class O2

- Certified according to EN ISO 20347:2012
- ESD or antistatic predection **(A)**
- Oil- and gasoline-resistant outsole **(FO)**
- Energy absorption in the heel area **(E)**
- Water-repellent outer material, at least 80 minutes without water penetration **(WRU)**
- Slip-resistant outsole **(SRC)**

With the replaceable BIRKENSTOCK footbed, the models provide secure support and relieve the strain on your feet so that you can stand, walk and run comfortably for many hours a day, even in challenging environments.



PROTECTION CLASS

SB & OB

THE A630, A640, SUPER-BIRKI AND PROFI-BIRKI

Whether in the kitchen, food industry, medicine or garden:
with the practical clogs from BIRKENSTOCK, work is always easier. Each of our PU clog models is available in a variety of different colors. They are made entirely of polyurethane and feature the replaceable anatomically shaped BIRKENSTOCK footbed. In addition, model A640 is equipped with a steel toe cap.

- Certified according to EN ISO 20345:2011 (clog A640)
- Certified according to EN ISO 20347:2012
- Water-repellent
- Oil and grease resistant
- Anti-slip outsole
- PU clogs washable at 80°C
- Cork footbeds washable at 30°C
- PU footbeds washable at 60°C
- Easy-care and abrasion-resistant
- Footbed reorderable



CRITERIA

SLIP RE-SISTANCE

ESPECIALLY SAFE AND COMFORTABLE

In your profession, you have to be able to rely on your equipment one hundred percent.
Just like on the shoes from BIRKENSTOCK with the Super-Grip Outsole.
The models are particularly suitable for daily use in practices, hospitals, kitchens, restaurants and leisure centres. The slip-resistant super outsole consists of two components: a shock-absorbing midsole made of EVA plastic and a slip-resistant, oil- and grease-resistant rubber outsole. For those who likes extra comfort and safety.



CRITERIA

ESD

SAFE PROTECTION IN ESD AREAS WITH BIRKENSTOCK COMFORT

Working with sensitive high-frequency technology and electrical components in particular requires pronounced predective measures. In combination with the professional ESD equipment of the workplace, the ESD models effectively predect against dangerous electrostatic discharges.

The damping bedding core in our ESD soft footbed, which is found in the Bilbao ESD and Kano ESD models, offers much more than a regular soft bedding. In the ESD models, an integrated antistatic agent provides optimum predection against electrostatic discharges.

All ESD articles have been tested by TÜV Rheinland according to the specifications of EN ISO 61340.
They meet the requirements in the professional ESD range from 105 to 3.4 x 107 ohm (contact resistance).



BIG PLUS

MAXIMUM PERFORMANCE THROUGH MAXIMUM COMFORT

Our comfortable and reliable footbeds with the corresponding characteristics of your professional or safety shoe are available as a replacement version so that you can give your best in everyday working life.

CHECKLIST

Quick overview of the advantages offered by BIRKENSTOCK PROFESSIONAL footwear

	Super Birki	Profi Birki	A 630	A 640	Super-Grip Outsole	Birki Air Antistatic	Classic Birki Antistatic	QS400 – QS700	QO400 – QO700
With steel toe cap	–	–	–	•	–	–	–	•	–
TÜV-certified	•	•	•	•	–	–	–	•	•
TÜV-certified	•	•	•	•	•	•	•	•	•
Slip-resistant	•	•	•	•	•	–	–	•	•
Alkali-resistant	•	•	•	•	–	•	•	•	•
Resistant to oil and grease	•	•	•	•	•	•	•	•	•
Washable at	80°C	80°C	80°C	80°C	–	80°C	80°C	–	–
Replacement footbed	•	•	•	•	–	•	–	•	•
Footbed washable at	30°C	60°C	30°C	30°C	–	60°C	–	30°C	30°C

COLLECTION OVERVIEW

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
A 630	BLUE	10252	36-47	REGULAR	1201686	13
A 630	WHITE	10292	36-47	REGULAR	1201686	13
A 630	BLACK	10272	36-47	REGULAR	1201686	13
A 640	BLUE	20252	36-47	REGULAR	1201686	13
A 640	WHITE	20292	36-47	NORMAL	1201686	13
A 640	BLACK	20272	36-47	REGULAR	1201686	13
ARIZONA ESD	WHITE	89410	35-48	REGULAR	-	23
ARIZONA ESD	WHITE	89418	35-48	NARROW	-	23
ARIZONA ESD	BLUE	89430	35-48	REGULAR	-	23
ARIZONA ESD	BLUE	89438	35-48	NARROW	-	23
ARIZONA ESD	FLOWER FIELD ROSE	1021411	35-43	NARROW	-	23
ARIZONA ESD	FLOWER FIELD MINT	1021400	35-43	NARROW	-	23
ARIZONA ESD	BLACK	89420	35-48	REGULAR	-	23
ARIZONA ESD	BLACK	89428	35-48	NARROW	-	23
ARIZONA SL	WHITE	230124	35-48	REGULAR	-	18
ARIZONA SL	WHITE	230126	35-48	NARROW	-	18
ARIZONA SL	BLACK	230114	35-48	REGULAR	-	18
ARIZONA SL	BLACK	230116	35-48	NARROW	-	18
ARIZONA SL	WHITE	1018220	35-48	REGULAR	-	18
ARIZONA SL	WHITE	1018221	35-48	NARROW	-	18
ARIZONA SL	BLACK	1018222	35-48	REGULAR	-	18
ARIZONA SL	BLACK	1018223	35-48	NARROW	-	18
BILBAO	WHITE	520781	39-46	REGULAR	-	28
BILBAO	BROWN	520801	39-46	REGULAR	-	28
BILBAO	BLUE	520811	39-46	REGULAR	-	28
BILBAO	BLACK	520791	39-46	REGULAR	-	28
BILBAO	BLACK	520793	36-42	NARROW	-	28
BIRKI AIR ANTISTATIC	BLUE	63070	36-46	REGULAR	1001242	16
BIRKI AIR ANTISTATIC	GREEN	63050	36-46	REGULAR	1001242	16
BOSTON ESD	WHITE	61370	39-48	REGULAR	-	24
BOSTON ESD	WHITE	61378	36-42	NARROW	-	24
BOSTON ESD	BLUE	61380	39-48	REGULAR	-	24
BOSTON ESD	BLUE	61388	36-42	NARROW	-	24
BOSTON ESD	BLACK	61360	39-48	REGULAR	-	25
BOSTON ESD	BLACK	61368	36-42	NARROW	-	25
BOSTON SL	WHITE	60134	35-48	REGULAR	-	21
BOSTON SL	WHITE	60136	35-48	NARROW	-	21
BOSTON SL	BLACK	60194	35-48	REGULAR	-	21
BOSTON SL	BLACK	60196	35-48	NARROW	-	21
CLASSIC BIRKI ANTISTATIC	GREEN	67050	35-46	REGULAR	-	16
CLASSIC BIRKI ANTISTATIC	BLUE	67070	35-46	REGULAR	-	16
REPLACEMENT FOOTBED A630 UND A640	SILVER	1201686	36-47	REGULAR	-	30
REPLACEMENT FOOTBED QS/QO	BROWN	1013177 1013178	35-40 41-48	REGULAR	-	30
REPLACEMENT FOOTBED BIRKI AIR ANTISTATIC	BLACK	1001242	35-46	REGULAR	-	30
REPLACEMENT FOOTBED PROFI BIRKI	BLACK	1026345	35-48	REGULAR	-	30
REPLACEMENT FOOTBED SUPER BIRKI	BLACK	1201127	35-48	REGULAR	-	30
KANO	BLACK	500781	39-46	REGULAR	-	29
KANO	BLACK	500783	36-42	NARROW	-	29
KANO	BROWN	500801	39-46	REGULAR	-	29

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
KANO	BROWN	500803	36-42	NARROW	-	29
KAY ESD	FLOWER FIELD ROSE	1020945	35-43	NARROW	-	24
KAY ESD	FLOWER FIELD MINT	1020876	35-43	NARROW	-	24
KAY SL	FLOWER FIELD MINT	1016660	35-43	NARROW	-	20
KAY SL	FLOWER FIELD ROSE	1016661	35-43	NARROW	-	20
KAY SL	BLOOMING ROSES BLACK	1016662	35-43	NARROW	-	20
KAY SL	BLOOMING ROSES BLUE	1016663	35-43	NARROW	-	20
KAY SL	PAISLEY BLACK WHITE	1016664	35-43	NARROW	-	20
KAY SL	CAT RED	582516	35-42	NARROW	-	19
KAY SL	DOG BLUE	582536	35-42	NARROW	-	19
KAY SL	WHITE	1018228	39-46	REGULAR	-	19
KAY SL	WHITE	1018229	35-42	NARROW	-	19
KAY SL	BLACK	1018226	39-46	REGULAR	-	19
KAY SL	BLACK	1018227	35-42	NARROW	-	19
KAY SL	WHITE	582624	39-46	REGULAR	-	19
KAY SL	WHITE	582626	36-42	NARROW	-	19
KAY SL	BLACK	582634	39-46	REGULAR	-	19
KAY SL	BLACK	582636	36-42	NARROW	-	19
LINZ ESD	WHITE	583150	39-46	REGULAR	-	25
LINZ ESD	WHITE	583158	36-42	NARROW	-	25
LINZ ESD	BLACK	583160	39-46	REGULAR	-	25
LINZ ESD	BLACK	583168	36-42	NARROW	-	25
LINZ SL	WHITE	583174	36-46	REGULAR	-	21
LINZ SL	WHITE	583176	36-42	NARROW	-	21
LINZ SL	BLACK	583184	36-46	REGULAR	-	21
LINZ SL	BLACK	583186	36-42	NARROW	-	21
MILANO ESD	BLACK	634790	35-48	REGULAR	-	23
MILANO ESD	BLACK	634798	35-48	NARROW	-	23
PROFI BIRKI	BLACK	74011	35-48	REGULAR	1026345	14
PROFI BIRKI	BROWN	74061	35-48	REGULAR	1026345	14
PROFI BIRKI	BLUE	74071	35-48	REGULAR	1026345	14
QS400	WHITE	1011227	35-48	REGULAR	1013177/8	5
QS400	BLACK	1011226	35-48	REGULAR	1013177/8	5
QS500	BLACK	1011230	35-48	REGULAR	1013177/8	5
QS500	BROWN	1011232	35-48	REGULAR	1013177/8	6
QS500	BLACK	1011233	35-48	REGULAR	1013177/8	5
QS500 ESD	WHITE	1011364	35-48	REGULAR	1013177/8	6
QS500 ESD	BLACK	1011363	35-48	REGULAR	1013177/8	6

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
QS700	GRAY	1020895	35-48	REGULAR	1013177/8	7
QS700	BROWN	1011237	35-48	REGULAR	1013177/8	6
QS700	BLACK	1011235	35-48	REGULAR	1013177/8	7
QS700	BLACK	1011238	35-48	REGULAR	1013177/8	7
QS700	CAMEL	1020848	35-48	REGULAR	1013177/8	7
QO400	WHITE	1011241	35-48	REGULAR	1013177/8	9
QO400	BLACK	1011240	35-48	REGULAR	1013177/8	9
QO500	WHITE	1011245	35-48	REGULAR	1013177/8	10
QO500	BLACK	1011244	35-48	REGULAR	1013177/8	10
QO500	BLACK	1011247	35-48	REGULAR	1013177/8	10
QO500	BLACK	1021021	35-48	REGULAR	1013177/8	10
QO500 ESD	WHITE	1011366	35-48	REGULAR	1013177/8	10
QO500 ESD	BLACK	1011365	35-48	REGULAR	1013177/8	10
QO700	WHITE	1011250	35-48	REGULAR	1013177/8	11
QO700	GRAY	1020921	35-48	REGULAR	1013177/8	11
QO700	BLACK	1011249	35-48	REGULAR	1013177/8	11
QO700	BLACK	1011252	35-48	REGULAR	1013177/8	11
QO700	BLACK	1020881	35-48	REGULAR	1013177/8	11
QO700	DARK BROWN	1020901	35-48	REGULAR	1013177/8	11
QO700	CAMEL	1020847	35-48	REGULAR	1013177/8	11
SARAGOSSA	WHITE	500873	36-42	NARROW	-	29
SARAGOSSA	BLACK	500863	36-42	NARROW	-	29
SOFIA	BLACK	263123	36-42	NARROW	-	28
SOFIA	TANGO RED	263263	36-42	NARROW	-	28
SOFIA	BLACK PATENT	263183	36-42	NARROW	-	28
SUPER BIRKI	CIEL LIGHT BLUE	68501	35-43	REGULAR	1201127	16
SUPER BIRKI	RASPBERRY SORBET	68651	35-43	REGULAR	1201127	16
SUPER BIRKI	RED	68031	35-48	REGULAR	1201127	16
SUPER BIRKI	YELLOW	68041	35-48	REGULAR	1201127	16
SUPER BIRKI	APPLE GREEN	68081	35-48	REGULAR	1201127	15
SUPER BIRKI	GREEN	68051	35-48	REGULAR	1201127	15
SUPER BIRKI	WHITE	68021	35-48	REGULAR	1201127	15
SUPER BIRKI	BLUE	68071	35-48	REGULAR	1201127	15
SUPER BIRKI	BROWN	68061	35-48	REGULAR	1201127	15
SUPER BIRKI	BLACK	68011	35-48	REGULAR	1201127	15
TOKIO ESD	WHITE	61410	39-48	REGULAR	-	25
TOKIO ESD	WHITE	61418	36-42	NARROW	-	25
TOKIO ESD	BLUE	61390	39-48	REGULAR	-	25

NAME	COLOR	ARTICLE NUMBER	SIZE	FIT	REPLACEMENT FOOTBED FOR ARTICLE	PAGE
TOKIO ESD	BLUE	61398	36-42	NARROW	-	25
TOKIO ESD	BLACK	61400	39-48	REGULAR	-	25
TOKIO ESD	BLACK	61408	36-42	NARROW	-	25
TOKIO SL	WHITE	61134	35-48	REGULAR	-	21
TOKIO SL	WHITE	61136	35-48	NARROW	-	21
TOKIO SL	BLUE	61154	35-48	REGULAR	-	21
TOKIO SL	BLUE	61156	35-48	NARROW	-	21
TOKIO SL	BLACK	61194	35-48	REGULAR	-	21
TOKIO SL	BLACK	61196	35-48	NARROW	-	21

QUALITY
MADE IN GERMANY
SINCE 1774.

BIRKENSTOCK EUROPE GMBH
Burg Ockenfels · 53545 Linz am Rhein · Germany

T: +49 2683 9359 1144 · F: +49 2683 9359 1268
professional@birkenstock.com · birkenstock.com

Subject to alterations, printing and typesetting errors. Goods available while stocks last. All data without guarantee.

